

Example Configuration Data File for the Primary Name Server of the foo.IBM.com Zone

primary foo.IBM.com db.foo.IBM
 primary stanford.edu db.stanford

Figure 2A

Example db.foo.IBM Zone Data File for the foo.IBM.com Zone

foo.IBM.com. IN SOA nsl.WebHostingCompany.com. postmaster.WebHostingCompany.com. (

```
;;; information for slave name servers
                                      ;;; serial number for this version of the zone data file
                        1837
                                      ;;; refresh after 30 minutes
                        1800
                                      ;;; retry after 15 minutes
                         900
                                      ;;; expire after 1 week
                       86400
                                      ;;; minimum Time To Live (TTL) of 30 minutes
                        1800
                            )
;;; name servers for the zone
                                 ns1.WebHostingCompany.com.
                IN
                          NS
                IN
                          NS
                                 bar
;;; mail server
                                 5 mailserver. WebHostingCompany.com.
                IN
                         MX
;;; addresses
                IN
                                 216.23.39.188
                           Α
   (a)
                                 216.23.39.180
                IN
                           Α
   foo
                                 216.23.46.83
   bar
                IN
                           Α
;;; aliases
                IN CNAME
                                 (a)
   smtp
                    CNAME
   www
                IN
                                  (a)
                                  foo.foo.IBM.com.
                IN
                    CNAME
   ftp
                    CNAME
   bigdaddy
                IN
                                  bar
                                                                       Figure 2B
```

Example Partial Zone Data File for the IBM.com Zone

;;; delegation of sub	zone foo	.IBM.	com to	authoritative name servers f	or the subzone
foo	86400	IN	NS	ns1.WebHostingCompan	ıy.com.
	86400	IN	NS	bar.foo.IBM.com.	
bar.foo.IBM.com.	86400	IN	A	216.23.46.83	Figure 2C

	THE SOURCE FOR .CC DOMAIN NAMES	
300	Register Your CC Domain Now!	
000	DOMAIN NAME:	
303	Now offering International Character Domains CLICK HERE TO REGISTER LATIN-1 NOW AVAILABLE! Español Francais Deutsch and 16 MORE	304 NEW NAM
	WIN \$35,000 If your site is selected as the Best Designed .CC Web Site WEB HOSTING STARTING AT \$9.99/mo!	EDIT DNS
	Welcome to the eNIC network information center. We are proud to announce a wealth of domain name services such as faster domain name registration, unmatched technology and domain availability, as well as immediate domain management and editing.	WHO IS? POLICIES
	If you have experienced trouble in the past while trying to get your name on the web, you have come to the right place. The .cc TLD makes domain names that were unavailable in the past, now available to you. Register now and find the best domain for your company or personal endeavor.	PAYMENT
	eNIC provides FREE web and email forwarding with a paid domain registration.	FAOS
	.CC names work worldwide exactly as do .COM names.	
	If you have any questions regarding your domain name please email hostmaster@nic.cc .	CONTACT
	DOMAIN NAME:	
	Type a domain name in the box above to check availability of a .CC domain name and register it.	HOME
	Interested in receiving commissions for the promotion of .cc domain sales through a banner or with your own registration site? <u>Join eNIC's Partner Program</u> .	

NEW NAME * EDIT DNS * WHO IS? POLICIES * PAYMENTS * FAQ * HOME





Fig. 3B






Fig. 3D

삼성 회시

KSC5601:

UTF-5 ACE Unicode:


0xC701 0xB1B9 ~ U+D55C U+AD6D

323

T55C QD6D - 324

Fig. 3E

327





all sameung websites

建燃料 四黑洲线壁



(2000년9월6일/심험 mere»

THE REAL PROPERTY.

PROMUTATION OF THE PROPERTY OF

Quick Link

Select


- **MELL** (
- 内容的

岛 在1995年第15年201



사보니 올라면 공사 피로인 삼은 연류 호텔 제한인 2000년 사보니 올라면 소문기 개를 위해 최소 의 노용 (1512 2021)

(2000년9월6일/ 신청 more»





실정기 대표 중요 기3개의 업명함 및 공항을 완해 제하는 2개 최하고대 음인 500Hbps(8 it Per Second) 그림 경요 128대 100R 성당보 D로 2개 제공로 개최되다 중 했다.다 (2000년 9월 30일 / 성명이 more.)

Per

산星型型 智能 M 銀門 0년 및 20명 환



개인 아카 소개의 등 트로마이 선된 실수를 되어 경기에 바라 리선 박은 강선 4의 한국수 전 아파 소리를 다 되어 보는 강선 4의 한국수

(2000년9월29일: 심참 more »

삼성 그룹 가족보 '삼성월드 ' 안 상성 사람들을 만나실 수 있습니다.

2792 45 是四世引出



제27회 울판이 알고 있는 즉 A도에 한국 내리 출고 있습니 (2000년 9월 27일 / 설) more »

330

	2000	-10-
岩	杂	
KOSPI	598.45	•
KOSDAQ	95.79	
K0SP1200	74.32	٠

Fig. 3G

(

Example Multilingual Domain Name Registry Database

	337	339	
ASCII And	ASCII-Compatible Encoding Domain Names	Registrant	
	alpha.cc	Bob Smith	
	amethyst-rings.cc	Jim Jones	
	race.cc	Helen Keller	
	rab971b054.cc	Chun Ahn	
	rat55cqd6d.cc	Doug White	
	reckless.cc	Billy TheKid	
	:		

Fig. 3H

Example db.CC Zone Data File for a ".CC" Zone

cc.	1	SOA	ns1.nic.cc.	postmaster.nic.cc.	
;;; information for	slave	name serve	ers		
		1837 1800 900 86400 1800	;;; serial nu ;;; refresh a ;;; retry afte ;;; expire af	mber for this version of the zone data file fter 30 minutes or 15 minutes fter 1 week or Time To Live (TTL) of 30 minutes	
;;; name servers for	the z	one			
	IN	NS	ns1.nic.cc.		
	IN	NS	ns2.nic.cc.		
	IN	NS	ns1.globaldns	.com.	
;;; addresses					
@	IN	Α	226.23.39.188	3	
alpha	IN	Α	225.78.83.242		
amethyst-rings	IN	Α	178.123.32.13	88	
nsl.nic	IN	Α	225.31.53.23	> 356	
race	IN	Α	225.31.32.45		
reckless :	IN	Α	67.79.35.15		
*	IN	A	234.71.83.24	358	

Example Multilingual Domain Name Binary Variants Database

	362	364	366	368
	Binary Variants	Corresponding	Encoding Type	Primary Or Secondary
_		Registered Domain Name		
<i>37<u>0</u></i>	b971b054	rab971b054.cc	Big 5	1
371	1b244245453f76	rab971b054.cc	лѕ	0
372	93649075	rab971b054.cc	Shift-JIS	0
373	b5e7d1b6	rab971b054.cc	GB2312	0
374	b5e7d38d	rab971b054.cc	GB2312	0
375	b971b074	rab971b054.cc	Big 5	0
376	c2b971c2b054	rab971b054.cc	"Dumb UTF-8"	0
377	c2b971c2b074	rab971b054.cc	Lower-cased "Dumb UTF-8"	0
378	c5c5bfd6	rab971b054.cc	EUC-JP	0
379	e794b5e8a88a	rab971b054.cc	UTF-8	0
<i>38<u>0</u></i>	e794b5e8aeaf	rab971b054.cc	UTF-8	0
381	e99bbbe8a88a	rab971b054.cc	UTF-8	0
382	e99bbbe8aeaf	rab971b054.cc	UTF-8	0
383	eb8ad1b6	rab971b054.cc	GB2312	0
384	eb8ad38d	rab971b054.cc	GB2312	0
385	efb3e3f2	rab971b054.cc	KSC 5601	0
1		•		
386	cd38sl93	racd38s193.cc	KSC 5601	, 1
	-			

Fig. 3J

Example ACE Forwarding Database

_	388	389	
	ACE Domain Names	URL Forwarding	
394	rab971b054.cc	228.32.98.20	
396	rat55cqd6d.cc	http://www.samsung.com/korean.html	
	•		

Fig. 3K

Domain Registered in Traditional Chinese Big 5

電訊.cc

Traditional Chinese Big 5 (1 variant)

電配

Simplified Chinese GB (4 variants)

電訊 電讯 电訊 电讯

Japanese Shift-JIS (1 variant)

電訊

Japanese JIS (1 variant)

Does not display correctly.

Japanese EUC-JP (1 variant)

電訊

Korean KSC (1 variant)

電訊

UTF-8 (6 variants)

¹q°T ¹q°t 電訊 電讯 电訊 电讯

Fig. 3L



Register a Domain
Multilingual Whois
English to CJY Translater
Lookup by Reference Code
Multilingual IAFS//FAQ

English only? Not here!

Pick the language that works for you. We did the work to make it easy. You can register your site in more than 28 active Asian, Middle Eastern and European languages.

This is not a test. Our system works.

While some of our competitors provide a "testbed" version of multilingual software, we've delivered a fully-functional system that works for thousands of dot.cc customers.

We provide different forms of the same languages, so you can register your site in traditional and simplified Chinese or different Japanese character sets. We make it easy to ensure that all variants of a domain name point to the same site.

We're bringing the world to the World Wide Web.

Select a Language or Encoding to use:

Asian | Arabic | Hebrew | European / Arfikaan / Americas

www				
Asian Languag		100		
Simple / Japanese		**********		5
繁體中文 简体中文	日本語	日本語	? 한국어 🦠	
Chinese Chinese	Japanese	Japanese)	Korean	
Big\$ ← GB ·	` SJIS	EUC ~	KSC :	
Traditional Simplified	*		*	
7 digis - G8 2312	Shift-IIS	EUC-JP	KSC Simi	

ATADIC LANGUAGE (SU 1634-6 probeling) اردو فرسي العربية Arabic Persian Urdu

Fig. 3M

Hebrew Language (190 8859-8 amoding)

> <u>עברית</u> Hebrew

יי<u>ךיש</u> Yiddish

Latin 1 Language (160 8659-1 encoding)

Afrikaans

<u>Afrikaans</u>

Euskara

<u>Basque</u>

<u>Dansk</u>

<u>Danish</u>

Føroya

<u>Faroese</u>

<u>Français</u>

French

Islensku

<u>Icelandic</u>

Italiano

<u>Italian</u>

<u>Portuguis</u>

cv/br/eu Portuguese

Scotts Gæilge

Scottish

<u>Kiswahili</u>

Swahili

<u>Shqip</u>

Albanian

<u>Català</u>

<u>Catalan</u>

Nederlands

<u>Dutch</u>

<u>Suomea</u>

<u>Finnish</u>

Deutsch

<u>German</u>

<u>Gæilge</u>

Irish

<u>Norsk</u>

Norwegian

<u>României</u>

Rhaeto-Romanic

<u>Español</u>

Spanish

<u>Svenska</u>

Swedish

<u>Services | Domain Management | Partner Central | Policies | Investor Relations | Career News | Contact Us | About eNIC</u>

PODDED CODE LANC Comparation



Satisfied Customers



Search For a New Domain Name

Arabic Chinese Simplified Chinese Traditional Hebrew Japanese EUC JP Japanese S JIS Korean Latin 1

Changing the Encoding Type will reset the shopping cart.



International Domain Name Registration Surcharge: Waived

Services | Domain Management | Partner Central | Policies | Investor Relations | Career
News | Contact Us | About eNIC

\$1,000, ZULL *MIC Corporation

Fig. 30

English to CIK Translator Register a Domain Multilingual Whois

Lookup by Reference Code

Multilingual INFO/FAQ

CJK Translation Dictionary

English word to look up

Language/Encoding

application

DOI: 100

Chinese Simplified (GB 2312) Chinese Traditional (Big 5)

Japanese (EUC-JP)

Services | Domain Management | Partner Central | Policies | Investor Relations | Career | News | Contact Us | About eNIC

\$2000, 2001 #NIC Corporation



Register a Domain Multilingual Whois English to CJK Translator Lookup by Reference Code Multilingual INFO/FA-)


Search Results for 'application'

Select up to 5 Domain names

Add to Cart

	用途 .CC	application
	应用 .CC	application
	应用程式 .CC	application
	申请书 .CC	application
not available	申请 .CC	application (form, etc.)
	应用层.CC	application layer
	应用平台 .CC	application platform
	应用程式介面 .CC	application programming interface
	应用软件 .cc	application software
	应用软体 .CC	application software
	专用集成电路 .CC	application-specific integrated circuit
	商业应用 .cc	business application
	客户应用 .CC	client application
	网络应用 .CC	network application
	网路应用.CC	network application
	实际应用 .CC	practical application
not available	招聘 .cc	take job application s
	典型用途.cc	typical application


Add to Cart





Services | Domain Management | Partner Central | Policies | Investor Relations | Career News | Contact Us | About eNIC | Contact Us | About eNIC | Contact Us | About eNIC | Contact Us | C

After contact the contact to the contact to the contact the contact to the con

client computers 450.	memory 457 storage 451 browser 459	I/O devices 474 registered domain name memory 477 records 473 server 479 CPU 472	Web servers 490 memory 497 I/O devices 494 Web server 499 storage 491 80 CPU 492 Web content 493
Multilingual Domain Name (MDN) server 400	CPU 405 display 411 storage 420 MDN Registration Web pages 422 computer-readable	MDN Binary Variant DB 424 Variant DB 424 Other I/O devices 415 MDN ACE Forwarding DB 426 MDN Registration component 440 Bomain Name Registry 428	Component 445 Component 445 Fig. 4










Fig. 8